

## minaRAIL.linear.points

12W / 24V / 1800-4500K / Points / black

Kompaktes LED-Modul 300mm für minaRAIL-Schiene. 800 Lumen, einstellbar warm bis kaltweiß. Breite Lichtverteilung 120°. LOXONE-kompatibel. Schwarz. 5 Jahre Garantie.

**Product Number** MLX100442.3

### Product Description

Kompakte Power für lineares Lichtdesign



## Properties

<b>IP</b>	IP42
<b>Leistung Typ</b>	MLX BALANCED POWER TECHNOLOGY
<b>warranty</b>	5 years
<b>Service life in hours</b>	50,000
<b>Material</b>	aluminium
<b>beam angle</b>	24°
<b>width</b>	23 mm
<b>height</b>	46 mm
<b>frequency range</b>	100-20,000 Hz
<b>operating temperature</b>	-20°C to 50°C
<b>Colour rendering index (CRI)</b>	typ. 93
<b>Brightness in lumens</b>	1220lm (kombi), 1200lm (ww), 790lm (cw)
<b>length</b>	245mm
<b>Colour</b>	Black
<b>colour temperature</b>	1800-4500K
<b>power</b>	12W (12W + 12W) balanced
<b>input voltage</b>	24V DC
<b>Dimmable</b>	Yes
<b>Dimming Typ</b>	PWM

## More Images

