MINALOX
LIGHTING

ART LAMP
PROJECT COLLECTION

Designleuchten für anspruchsvolle Projekte

2025



2 0 2 5

PRODUCT CULTURE

LIGHT

FOR THE FUTURE



Company Profile

Light with purpose. Technology with precision.

MINALOX is a European lighting company focused on high-quality, human-centric illumination for residential, commercial, and architectural spaces. We design and manufacture lighting solutions that combine optical performance, refined craftsmanship, and smart control — with a clear emphasis on visual comfort and long-term reliability.

Our philosophy is simple: light should enhance wellbeing, respect natural circadian rhythms, and integrate seamlessly into modern interiors. That is why we work only with high-quality LED components (CRI ≥ 90), carefully tuned CCT options, optimized thermal design, and control systems that ensure smooth dimming and consistent colour rendering.

Through long-term collaborations with manufacturing partners and our in-house engineering standards, we maintain strict quality control across design, production, and testing. This allows us to deliver products that meet the expectations of architects, system integrators, and clients who value both aesthetics and technical accuracy.

Core strengths


- Human-centric lighting: Carefully selected LEDs, CRI ≥ 90, optimized CCT, and flicker-free dimming.
- Precision design: Blending modern aesthetics with optical performance and visual comfort.
- Consistent quality: Every product follows strict testing for photometrics, EMC, and thermal stability.
- Flexibility for projects: Custom finishes, dimensions, optics, and control options adapted to each space.
- Smart control ready: Compatible with DALI, Loxone, Casambi, and tunable-white systems.


MINALOX stands for reliable craftsmanship, data-driven lighting design, and refined simplicity — bringing beautifully calibrated light to interiors across Europe and beyond.

Professional Design:	Blending modern aesthetics with functionality for unique lighting effects
Production:	Rigorous craftsmanship to ensure product excellence
Customized Services: Extensive	Flexible solutions tailored to client needs
Project Experience:	Successful cases in hotels and commercial spaces globally









3005-D-N 3005-D-S 3005-D-M 3005-D-L

3005 Series

DETAILS

Material: Aluminum

Color Temp: 3000K

Lamp Shade: Glass

ITeM NO.	3005-D-N	3005-D-S	3005-D-M	3005-D-L
Wattage:	6.5W	6.5W	6.5W	6.5W
Voltage:	220-240V	220-240V	220-240V	220-240V
Size:	110*240	250*240	350*240	450*240


Finishes: Red / Blue / Green / Pink / Gold / Black / White




NEW LAMP 2025

Compositions


According to the design requirements, configure the appropriate ceiling plate to provide more possibilities for combination when the plan is implemented (the following description is just an example)




3005-Canopy-L730



3005-Canopy-L930



3005-Canopy-L1630



3005-Canopy-D400



3005-Canopy-D700

3005 Series

DETAILS

Material:
Iron/Stainless


Finishes:
Gold / Black / White






NEW LAMP 2025

Split




You have more options regarding length.


3005-WS-S



3005-WM-S



3005-WL-S




3005 Series

DETAILS		ITeM NO.	3005-WS-S	3005-WM-S	3005-WL-S
Material: Aluminum+Iron	Color Temp: 3000K	Wattage:	6.5W	6.5W	6.5W
Lamp Shade: Glass		Voltage:	220-240V	220-240V	220-240V
		Size:	250*400*318	250*400*618	250*400* 918


Finishes:
Red / Blue / Green / Pink / Gold / Black / White







3005-T-S



3005 Series

DETAILS

Material:
Aluminum+Iron

Color Temp:
3000K

Lamp Shade:
Glass


Finishes:
Red / Gold / Black

ITeM NO.	3005-T-S	3005-N-N
Wattage:	7W	7W（Touch dimming）
Voltage:	220-240V	220-240V
Size:	375*250*628	110*110*128


NEW LAMP 2025

NEW LAMP 2025





3005-F-M



3005 Series

DETAILS

Material:
Aluminum+Iron

Color Temp:
3000K

Lamp Shade:
Silicone+nylon

Finishes:
Red / Blue / Gold / Black

ITeM NO.	3005-F-M
Wattage:	7W
Voltage:	220-240V
Size:	525*350*1610





3006 Series

DETAILS


Material:
Stainless steel+aluminum+iron


Lamp Shade:
Glass

Color Temp:
3000K

Finishes:
Chrome Plating

ITeM NO.	3006-U/D-S	3006-U/D-M	3006-U/D-L
Wattage:	10W	20W	30W
Voltage:	220-240V	220-240V	220-240V
Size:	165*116*300	165*116*600	165*116*900





3008 Series

DETAILS

Material:
Aluminum+Iron

Color Temp:
2000K+4000K

Lamp Shade:
Acrylic


Finishes:
Red+ Copper Natural 904
+Sand black+Red 953

ITeM NO.	3008-F -5-RD	3008-D-RD
Wattage:	10W	10W
Voltage:	220-240V	220-240V
Size:	105*1700	40*880




NEW LAMP 2025


8021-1030C



8021-1290C



8021-2000C



8021 Series

DETAILS

Material:
Iron

Color Temp:
3000K

Lamp Shade:
Silicon+nylon

Finishes:
Golden Random Grain 961/God 927/
Black Random Grain 963/Black 954


ITeM NO.	8021-1030C	8021-1290C	8021-2000C
Wattage:	20W	29W	100W(24V)
Voltage:	220-240V	220-240V	220-240V
Size:	1030	1290	2000







NEW LAMP 2025



8023-800C

8023 Series

DETAILS

Material:
Iron


Color Temp:
3000K

Lamp Shade:
Silicon+nylon

Finishes:
Golden Random Grain 961/God 927/
Black Random Grain 963/Black 954

ITeM NO.	8023-800C	8023-1200C
Wattage:	7.5W	11W
Voltage:	220-240V	220-240V
Size:	800*190	1200*240

NEW LAMP 2025



Brushed Dark Grey

VIDEO From 8006A

VIDEO From 8006B



Brushed Champagne Silver

8006 Series

OSRAM
Opto Semiconductors

90 CRI(Ra) High Display Index

Health Spectrum

DETAILS

Material:
Aluminium

Color Temp:
3000K/4000K

Rendering Index:
Ra90 (OSRAM)

Finishes:
Anodization

ITeM NO.	8006-1200	8006-1400	8006-1600
Wattage:	28.8W	34.2W	37.8W
Voltage:	220V-240V	220V-240V	220V-240V
Size:	L1228	L1418	L1608

NEW LAMP 2025



OSRAM
Opto Semiconductors

90 CRI(Ra) High Display Index Health Spectrum



Internal structural details

VIDEO From 8007

8007 Series

DETAILS


Material:
Aluminium

Color Temp:
3000K/4000K


Rendering Index:
Ra90 (OSRAM)

Finishes:
Anodization


ITeM NO.	8007-1200	8007-1400	8007-1600
Wattage:	28.8W	34.2W	37.8W
Voltage:	220V-240V	220V-240V	220V-240V
Size:	L1145	L1335	L1525



Brushed Dark Grey









Brushed Champagne Gold



Brushed Champagne Silver



Sand white

8008 Series

DETAILS

Material:
Aluminium

Color Temp:
2700-6000K


Rendering Index:
Ra>95

Light angle:
38°

Finishes:
Anodization

ITeM NO.	8008-1200	8008-1600	8008-2200
Wattage:	30W	40W	55W
Voltage:	100V-260V	100V-260V	100V-260V
Size:	L1125	L1655	L2185

NEW LAMP 2025



Brushed Dark Grey



Brushed Champagne Gold

Brushed Champagne Silver

Sand white

8009 Series

DETAILS

Material:
Aluminium

Color Temp:
2700-6000K

Rendering Index:
Ra>95

Light angle:
36°

Finishes:
Anodization

ITeM NO.	8009-1200	8009-1600	8009-2200
Wattage:	30W	40W	55W
Voltage:	100V-260V	100V-260V	100V-260V
Size:	L1200	L1660	L2115



Colorful
choices



NEW LAMP 2025



925-A-450



925-B-780

925 Series

DETAILS

Material:
Aluminum

Color Temp:
3000K

Lamp Shade:
PC

ITeM NO.	925-A-450	925-B-780
Wattage:	3W	6.5W
Voltage:	220V-240V	220V-240V
Size:	46.5*450*53	46.5*780*53

Finishes:
Red / Blue / Green / Pink / Gold / Black / White



925 Series

DETAILS

Material:
Aluminum+Iron

Color Temp:
3000K

Lamp Shade:
PC


Finishes:
Black

ITeM NO.	925-C-1200	925-C-2200
Wattage:	9W	18W
Voltage:	220-240V	220-240V
Size:	46.5* 1200*53	46.5* 2200*53

NEW LAMP 2025







925-F-900

925-G-730

925 Series

DETAILS

Material:
Aluminum+Iron

Color Temp:
3000K/4000K

Lamp Shade:
PC

Finishes:
Black

ITeM NO.	925-F-900	925-G-730
Wattage:	8W	8W
Voltage:	220V-240V	220V-240V
Size:	180*900*50	730*110*50



Flexible optional accessories to adapt to more spatial scenarios.



8020 Series

DETAILS

Material:
Aluminium

Color Temp:
3000K/4000K

Rendering Index:
Ra90

Finishes:
Anodization

ITeM NO.	8020-3M	8020-6M	8020-9M
Wattage:	48W	96W	144W
Voltage:	220V-240V	220V-240V	220V-240V
Size:	L3000	L6000	L9000


More design possibilities

User Manual


Finished neon lamps

Model 8020 **Series**


B




C




D











8010-1B

8010-1BL

8010 Series

DETAILS

Material:
stainless steel/iron

Color Temp:
3000K/4000K

Lamp Shade:
Silicone+nylon

Finishes:
Brushed black/
And more

VIDEO From Boso


ITeM NO.	8010-1B	8010-1BL
Wattage:	6.5W	12.5W
Voltage:	100V-260V	100V-260V
Size:	840*200*60 (Line1000)	1380*270*60 (Line1650)












8011-1B



8011-1BL

8011 Series

DETAILS

Material:
stainless steel/iron

Color Temp:
3000K/4000K

Lamp Shade:
Silicone+nylon

Finishes:
Brushed black/
And more



VIDEO


ITeM NO.	8011-1B	8011-1BL
Wattage:	4.5W	6.5W
Voltage:	100V-260V	100V-260V
Size:	600*110*30 (Line1000)	800*120*30 (Line1650)








8012 Series



8012-1B



8012-1BL

DETAILS

Material:
stainless steel

Color Temp:
3000K

Lamp Shade:
Silicone+nylon


Finishes:
Brushed black

ITeM NO.	8012-1B	8012-1BL
Wattage:	6.5W	12.5W
Voltage:	100V-260V	100V-260V
Size:	840*200*60	1380*270*60





NEW LAMP 2025





8013 Series





DETAILS

Material:
stainless steel/iron

Color Temp:
3000K/4000K

Lamp Shade:
Silicone+nylon

Finishes:
Brushed black/
And more



VIDEO

ITeM NO.	8013-1200C	8013-1600C
Wattage:	12.5W	16.5W
Voltage:	100V-260V	100V-260V
Size:	L1200	L1600









8013-1B



8013-1BL

8013 Series

DETAILS

Material:
stainless steel/iron

Color Temp:
3000K/4000K


Lamp Shade:
Silicone+nylon

Finishes:
Brushed black/
And more

VIDEO

ITeM NO.	8013-1B	8013-1BL
Wattage:	5.5W	10W
Voltage:	100V-260V	100V-260V
Size:	115*800*65	235*900*65





8013-1BL



8013 Series

DETAILS

Material:
stainless steel/iron

Color Temp:
3000K/4000K

Lamp Shade:
Silicone+nylon

Finishes:
Brushed black/
And more



ITeM NO.	8013-1D
Wattage:	9W
Voltage:	100V-260V
Size:	230*1500*114





8013 Series

DETAILS

Material:
stainless steel/iron


Color Temp:
3000K/4000K

Lamp Shade:
Silicone+nylon

Finishes:
Brushed black/
And more

ITeM NO.	8013-1L
Wattage:	16W
Voltage:	100V-260V
Size:	300* 1600





8014 Series

DETAILS

Material:
Iron

Color Temp:
3000K/4000K

Lamp Shade:
Silicone+nylon

Finishes:
Sand black/
And more



ITeM NO.	8014-H1500	8014-H1800
Wattage:	14.4W	16.2W
Voltage:	100V-260V	100V-260V
Size:	L1500	L1800







8015 Series

DETAILS

Material:
stainless steel/iron


Color Temp:
3000K/4000K

Lamp Shade:
Silicone+nylon

Finishes:
Brushed black/
And more

ITeM NO.	8015-H1000	8015-H600	8015-H2200
Wattage:	10.8W	16.2W	21.6W
Voltage:	100V-260V	100V-260V	100V-260V
Size:	L1000	L1600	L2200







8016 Series

DETAILS

Material:
Aluminium

Color Temp:
3000K/4000K


Lamp Shade:
Silicone+nylon

Finishes:
Brushed black




ITeM NO.	8016-Customized
Wattage:	20W /M
Voltage:	100V-260V
Size:	Customized size according to requirements (can be cut to any length on site)






8017-10M



8017-5M



8017-3M



8017 Series

DETAILS

Material:
Iron

Color Temp:
3000K

Lamp Shade:
Silicone+nylon


Finishes:
Sand black

ITeM NO.	8017-3M	8017-5M	8017-10M
Wattage:	48W	80W	160W
Voltage:	175V-260V	175V-260V	175V-260V
Size:	L3000	L5000	L10000









8018 Series

DETAILS

Material:
Iron


Color Temp:
3000K/4000K


Lamp Shade:
Silicone+nylon

Finishes:
Powder spraying/
Electroplating




ITeM NO.	8018-500
Wattage:	12.6W
Voltage:	100V-260V
Size:	500*330









8019 Series

DETAILS

Material:
Iron

Color Temp:
3000K/4000K

Lamp Shade:
Silicone+nylon

Finishes:
Sand black /
And more

ITeM NO.	8019-400	8019-400
Wattage:	12.6W	16.2W
Voltage:	100V-260V	100V-260V
Size:	400*210	500*255

MINALOX
LIGHTING

MINALOX s.r.o.
Malé Leváre 520
908 74 Malé Leváre
Slovakia

minalox.sk

MINALOX GmbH
Oberholenbach 3
73453 Abtsgmünd
Germany

minalox.com